

ISO9001 & ISO14001 & TS16949 CHILISIN ELECTRONICS CORP.


Lead-Free & RoHs Compliance!!

SPECIFICATION FOR APPROVAL

CUSTOMER:				_
CUSTOMER P/N:				_
OUR DWG No:				
QUANTITY:	0 P	cs.	DATE:	2013/07/11
ITEM:		LV	 F252A10-10	OM N
I I EIVI		LV	F252A 10-10	JUIVI-IN
	SPEC	IFIC/	ATION	
	ACC	EPTEI	D BY:	
COMPONENT				
ENGINEER				
ELECTRICAL				
ENGINEER				
MECHANICAL ENGINEER				
APPROVED				
REJECTED				
一 奇力新電子股份有限公司	<u> </u>	東莞	奇力新電子有	
CHILISIN ELECTRONICS CON NO.29, LANE 301, TEHHSIN RO	RP.	Chilis	sin Electronics (Do	
HSINCHU,TAIWAN,303,	JAD,HUKUU,	Qing:	xi Town, Donggua	n City, Guangdong,China
REPUBLIC OF CHINA TEL: (03) 599-2646			: +86-769-8773-02 : +86-769-8773-0	
FAX: (03) 599-9176 E-mail: Sales@chilisin.com.tw	ı	E-ma	il: cect@chilisin.d	com.tw
http://www.chilisin.com.tw 台北營業處		杏土)新電子(蘇州) ²	有限公司
Taipei Office		Chilis	sin Electronics (Su	zhou) Co., Ltd.
1F., No.2, Aly. 1, Ln. 235, Baod Xindian Dist., New Taipei City 2			43,Song Shan Rd. ou,China	, Suzhou New District,
TEL: +886-2-6629-5588~9 FAX: +886-2-6629-0088			al Code:215129 +86-512-6841-235	0
E-mail : Sales@chilisin.com.tw	I		+86-512-6841-235 iil:suzhou@chilis	
DRAWN BY	01.17	ECKED	DV	APPROVED BY



- 1 Scope: This specification applies to Wire Wound Power Inductors
- 2 Part Numbering: Product Identification



3 Rating:

Operating Temperature: $-5.5 \, ^{\circ}\text{C} \sim 1.2.5 \, ^{\circ}\text{C}$ (Including self - temperature rise)

4 Marking:

Ex: LVF252A10-1R0M-N

 $\underline{\mathbf{X}}$

Marking: B

Marking color : Black

5 Standard Testing Condition


	Unless otherwise specified	In case of doubt
Temperature	Ordinary Temperature(15 to 35°ℂ)	20±2 ℃
Humidity	Ordinary Humidity(25 to 85% RH)	60 to 70 % RH



ISO9001 & ISO14001 & TS16949 CHILISIN ELECTRONICS CORP.

LVF252A10 Series Specification

6 Configuration and Dimensions:



TYPE	LVF252A10
Α	2.5±0.25 m/m
В	2.0±0.25 m/m
С	1.02Max m/m
D	0.8 typ. m/m

7 ELECTRICAL CHARACTERISTICS :

Part No.	Inductance (uH)	Test Freq.	RDC (Ω)±30%	Isat(mA) Typ.(Max)	Irms(mA) Typ.(Max)	Tolerance (±%)	Marking
LVF252A10-R47□-N	0.47	1MHz,200mV	0.045	2800(2520)	2300(2070)	20,30	Α
LVF252A10-1R0□-N	1	1MHz,200mV	0.066	1980(1780)	2050(1840)	20,30	В
LVF252A10-1R5□-N	1.5	1MHz,200mV	0.095	1700(1530)	1850(1660)	20,30	С
LVF252A10-4R7□-N	4.7	1MHz,200mV	0.285	920(820)	950(850)	20,30	F
LVF252A10-100□-N	10	1MHz,200mV	0.535	600(540)	700(630)	20,30	Н
LVF252A10-150□-N	15	1MHz,200mV	0.81	500(450)	550(490)	20,30	I
LVF252A10-220□-N	22	1MHz,200mV	1.2	400(360)	440(390)	20,30	J

NOTE: -tolerance M=±20% / T=±30%


^{2.}Isat for Inductance drop 30% from its value without current.

[&]quot;-N" FOR COMPLETELY LEAD FREE TYPE(INCLUDING FERRITE BODY & SOLDER)



8 LVF252A10 Series

8.1 Construction:



8.2 Material List:

ITEM	PART	DESCRIPTION	SUPPLIES
1	CORE	FERRITE	CHILISIN
2	TERMINAL	Ag/Ni/Sn	
3	WIRE	Grade 180	ELEKTRISOLA
4	EPOXY	Magnetic powder resin	



ISO9001 & ISO14001 & TS16949 CHILISIN ELECTRONICS CORP.

LVF252A10 Series Specification


9 Reliability Of Wire Wound Power Inductors

1-1.Mechanical Performance

	Item	Specification	Test Method
1-1-1	Bending Test	Chip coil shall not be	Substrate:Glass-epoxy substrate(100mm*40mm*1.6mm)
		damaged after tested as test	speed of Applying Force:1mm/s
		method	Deflection:2mm
			Hold Duration:30s
			Deflection 45 Product (in nn)
1-1-2	Vibration		Oscillation Frequency:10Hz to 55 Hz to 10 hZ for 1 min
			Total Amplitude:1.5mm
			Testing Time:A period of 2 hours in each of 3 mutually
1 1 2	Caldarability	The westing area of the	perpendicular directions(Total 6 hours)
1-1-3	Solderability	The wetting area of the electrode shall be at least	Solder:Sn/Ag3.0/Cu0.5 per-Heating:150℃±10℃/1min to 2min
		95% covered with new solder	Isolder Temperature:245°C±5°C
		coating	Immersion Time:4s±1s
1-1-4	Resistance to	Appearance:No damage	Solder:Sn/Ag3.0/Cu0.5
	Soldering Heat		per-Heating:150°C±10°C/1min to 2min
			solder Temperature:260°C±5°C
			Immersion Time:10s±1s
1-1-5	Resistance to solvent	There must be no change in	Inductors must withstand 6 minutes of alcohol or water.
		appearance or obliteration of	
		marking.	

1-2.Environmental Performance

	nvironinental Perio				
No	ltem	Specification		Test Method	
1-2-1	Heat Resistance	Appearance: No damage Inductance Change:within±10%	Time:50	rature:125°C±3°C 00h easured after exposure in the room	
		_	Condition	on for 24h±2h	
1-2-2	Cold Resistance		Time:50 Then m	ature: -55°C±3°C 00h easured after exposure in the room on for 24h±2h	
1-2-3	Humidity		Humidit Time:50 Then m	rature: 40° : 2° : y:90%(RH) to 95%(RH) 00h easures after exposure in the room on for 24h±2h	
1-2-4	Temperature Cycle		One cyc		
			Step	Temperature (℃)	Time (min)
			1	-55±3	30
			2	25±2	3
			3	125±3	30
			4	25±2	3
				00cycles	0.41
			Measur	ed after exposure in the room condition for	or 24hrs



Lead-Free(LF) 標準溫度分析範圍

Refer to J-STD-020C

管制項目 Item.	升溫區 Ramp-up	預熱區 Pre-heatimg	迴焊區 Reflow	Peak Temp	冷卻區 Cooling
溫度範圍 Temp.scope	R.T. ~150°C	150°C ~ 200°C	217℃	260±5°C	Peak Temp. ~ 150°C
標準時間 Time spec.	_	60 ~ 180 sec	60 ~ 150 sec	20 ~ 40 sec	_
實際時間 Time result	<u> </u>	75 ~ 100 sec	90 ~ 120 sec	5 ~ 10 sec	_

NOTE:


- 1. Re-flow possible times: within 2 times
- 2. Nitrogen adopted is recommended while in re-flow



11 PACKAGING

11.1 Packaging -Cover tape


The force for tearing off cover tape is 10 to 100 grams in the arrow direction.



11.2 Packaging Quantity

TYPE	BULK	PCS/REEL
LVF252A10	✓	2000


11.3 Reel Dimensions






11 PACKAGING

11.4 Tape Dimensions in mm



12 Recommended Pattern



Dimensions in mm

TYPE	A(m/m)	B(m/m)	C(m/m)
LVF252A10	2.2	0.85	0.8

13 Note:

- 1. Please make sure that your product is has been evaluated and confirmed against your specifications when our product is mounted to your product.
- 2. Do not knock nor drop.
- 3. All the items and parameters in this product specification have been prescribed on the premise that our product is used for the purpose, under the condition and in the environment agreed upon between you and us. You are requested not to use our product deviating from such agreement.
- 4. Please keep the distance between transformer/coil and other components (refer to the standard IEC 950)



13 Note:

5. Storage and Handing Requirements

(1)Storage period

Use the products within 12 months after delivered Solderability should be checked if this period is exceeded

(2)Storage conditions

*Products should be stored in the warehouse on the following conditions

Temperature: -10°C ~ 40°C


Humidity : $30\% \sim 70\%$ relative humidity no rapid change on temperature and humidity The electrode of the products is coated with solder.Don't keep products in corrosive gases such as sulfur, chlorine gas or acid, or it may cause oxidization of electrode, resulting in poor solderability.

- *Products should not be storaged on bulk packaging condition to prevent the chipping of the core and the breaking of winding wire caused by the collision between the products.
- *Products should be storaged on the palette for the prevention of the influence from humidity, dust and so on.
- *Products should be storaged in the warehouse without heat shock, vibration, direct sunlight and so on.

(3)Handing Condition


Care should be taken when transporting or handing product to avoid excessive vibration or mechanical shock.


6. Void Appearance tolerance Limit



A≦ W/2 GOOD A> W/2 NG

14 Curve:





Temperature test conditions:

- 1. Start as the atmosphere temp. $@25^{\circ}$ C.
- 2. Take the reading once it becomes stable.
- 3. Need to wait 90Sec at least, then change to the next applied current value.