

| BOM LIST | | | |
|----------|----------------------|------|-------|
| ITEM | PART NAME | Q'ty | NOTES |
| 1 | PLASTIC HOOD | 2 | ABS |
| 2 | 2.1 LONG BOLT | 2 | #4-40 |
| | 2.2 SHORT BOLT | 2 | #4-40 |
| 3 | NUT | 2 | M3 |
| 4 | LONG SCREW | 2 | M3 |
| 5 | SMALL WASHER | 2 | |
| 6 | SHORT SCREW | 2 | M3 |
| 7 | 7.1 METAL WASHER | 2 | M3 |
| | 7.2 PLASTIC-1 WASHER | 2 | ABS |
| | 7.3 PLASTIC-2 WASHER | 2 | ABS |

| REV. | DESCRIPTION | DRAWN | CHECKED | APPROVED |
|------|-----------------|---------------|---------|---------------|
| A | NEW RELEASE | LJH 08/13/05' | ~ | LJC 08/13/05' |
| B | 整理图画 | YCH 09/13/07' | ~ | LJC 09/13/07' |
| C | 整理英制短螺丝尺寸 | YCH 07/18/08' | ~ | LJC 07/18/08' |
| D | 增加“全包装”类型 | YCH 05/20/10' | ~ | LJC 05/20/10' |
| E | 改M3*12的螺钉为M3*10 | YCH 08/30/10' | ~ | |

















NOTES:

1. Hardwares are all Nickel plated.

2. PART NUMBER CODE:

DS1045 - 09 X X X X X

- Washer type
- 1: Metal
- 2: Plastic-1(Lock type)
- 3: Plastic-2(Screw type)
- Bolt type
- L: Long
- S: Short
- Packing type
- 1: Mix packing
- 2: Separation packing
- Q: Full packing
- Cover Material
- P: Plastic(ABS)
- Cover Color
- A: Gray
- B: Black
- V: Ivory
- Position
- 09: 9pin




| GENERAL TOLERANCE | ANGLE TOLERANCE |
|-------------------|-----------------|
| X. ±0.60 | X. ±5° |
| .X ±0.38 | .X ±3° |
| .XX ±0.25 | .XX ±2° |

| PROJECTION | TITLE |
|---------------|----------------------|
| UNITS mm | D-SUB 9pin Hood |
| SHEET SIZE A4 | SERIES DS1045 SERIES |

| DRAWING TYPE | COSTOMER |
|--------------------------------|--------------|
| SCALE 1:1 | SHEET 1 OF 1 |
| DRAWING NO. C-DS1045-09XXXXX-E | |

| PROJECTION | TITLE |
|---------------|----------------------|
| UNITS mm | D-SUB 9pin Hood |
| SHEET SIZE A4 | SERIES DS1045 SERIES |

晨翔电子有限公司
CONNFLY CONNFLY ELECTRONIC CO. LTD





| BOM LIST | | | |
|----------|----------------------|------|-------|
| ITEM | PART NAME | Q'ty | NOTES |
| 1 | PLASTIC HOOD | 2 | ABS |
| 2 | 2.1 LONG BOLT | 2 | #4-40 |
| | 2.2 SHORT BOLT | 2 | #4-40 |
| 3 | NUT | 2 | M3 |
| 4 | LONG SCREW | 2 | M3 |
| 5 | SMALL WASHER | 2 | |
| 6 | SHORT SCREW | 2 | M3 |
| 7 | 7.1 METAL WASHER | 2 | M3 |
| | 7.2 PLASTIC-1 WASHER | 2 | ABS |
| | 7.3 PLASTIC-2 WASHER | 2 | ABS |


| REV. | DESCRIPTION | DRAWN | CHECKED | APPROVED |
|------|-------------|---------------|---------|---------------|
| A | NEW RELEASE | LJH 05/18/05' | ~ | LJC 05/18/05' |
| B | 整理图画 | YCH 09/13/07' | ~ | LJC 09/13/07' |
| C | 整理英制短螺丝尺寸 | YCH 07/18/08' | ~ | LJC 07/18/08' |
| D | 增加“全包装”类型 | YCH 05/20/10' | ~ | |

NOTES:
 1. Hardwares are all Nickel plated.
 2. PART NUMBER CODE:


DS1045 - 15 X X X X X
 Washer type
 1: Metal
 2: Plastic-1(Lock type)
 3: Plastic-2(Screw type)
 Bolt type
 L: Long
 S: Short
 Packing type
 1: Mix packing
 2: Separation packing
 Q: Full packing
 Cover Material
 P: Plastic(ABS)
 Cover Color
 A: Gray
 B: Black
 V: Ivory
 Position
 15: 15pin





Short BOLT




LONG SCREW







NUT t=2.3mm



SHORT SCREW



SMALL WASHER



Long BOLT

| GENERAL TOLERANCE | ANGLE TOLERANCE |
|-------------------|-----------------|
| X. ±0.60 | X. ±5° |
| .X ±0.38 | .X ±3° |
| .XX ±0.25 | .XX ±2° |

| PROJECTION | TITLE |
|------------|------------------|
| mm | D-SUB 15pin Hood |

| UNITS | SHEET SIZE | SERIES |
|-------|------------|---------------|
| mm | A4 | DS1045 SERIES |

| DRAWING TYPE | COSTOMER |
|--------------|--------------------|
| SCALE | 1:1 SHEET 1 OF 1 |
| DRAWING NO. | C-DS1045-15XXXXX-D |


晨翔电子有限公司
CONNFLY CONNFLY ELECTRONIC CO. LTD

| BOM LIST | | | |
|----------|------------------|------|-------|
| ITEM | PART NAME | Q'ty | NOTES |
| 1 | PLASTIC HOOD | 2 | ABS |
| 2 | 2.1 LONG BOLT | 2 | #4-40 |
| | 2.2 SHORT BOLT | 2 | #4-40 |
| 3 | NUT | 2 | M3 |
| 4 | LONG SCREW | 2 | M3 |
| 5 | SMALL WASHER | 2 | |
| 6 | SHORT SCREW | 2 | M3 |
| 7.1 | METAL WASHER | 2 | M3 |
| 7.2 | PLASTIC-1 WASHER | 2 | ABS |
| 7.3 | PLASTIC-2 WASHER | 2 | ABS |

| REV. | DESCRIPTION | DRAWN | CHECKED | APPROVED |
|------|-------------|---------------|---------|---------------|
| A | NEW RELEASE | LJH 10/26/05' | ~ | LJC 10/26/05' |
| B | 整理图画 | YCH 09/13/07' | ~ | LJC 09/13/07' |
| C | 整理英制短螺丝尺寸 | YCH 07/18/08' | ~ | LJC 07/18/08' |
| D | 增加“全包装”类型 | YCH 05/20/10' | ~ | |

NOTES:


1. Hardware are all Nickel plated.
2. PART NUMBER CODE:

DS1045 - 25 X X X X X


- Washer type
- 1: Metal
- 2: Plastic-1(Lock type)
- 3: Plastic-2(Screw type)

- Bolt type
- L: Long
- S: Short
- Packing type
- 1: Mix packing
- 2: Separation packing
- Q: Full packing


- Cover Material
- P: Plastic(ABS)
- Cover Color
- A: Gray
- B: Black
- V: Ivory
- Position
- 25: 25pin




Short BOLT




NUT t=2.3mm






LONG SCREW



SMALL WASHER




SHORT SCREW



Metal

Plastic-1

Plastic-2



Long BOLT

| | | | | | |
|-------------------|-------|--------------------|-----|---------------|------------------|
| GENERAL TOLERANCE | | ANGLE TOLERANCE | | PROJECTION | TITLE |
| X. | ±0.60 | X. | ±5° | mm | D-SUB 25pin Hood |
| .X | ±0.38 | .X | ±3° | | |
| .XX | ±0.25 | .XX | ±2° | | |
| DRAWING TYPE | | COSTOMER | | SHEET SIZE | |
| SCALE | | 1:1 | | A4 | |
| DRAWING NO. | | C-DS1045-25XXXXX-D | | SERIES | |
| | | | | DS1045 SERIES | |



晨翔电子有限公司

CONNFLY CONNFLY ELECTRONIC CO. LTD

| BOM LIST | | | |
|----------|------------------|------|-------|
| ITEM | PART NAME | Q'ty | NOTES |
| 1 | PLASTIC HOOD | 2 | ABS |
| 2 | LONG BOLT | 2 | #4-40 |
| | SHORT BOLT | 2 | #4-40 |
| 3 | NUT | 2 | M3 |
| 4 | LONG SCREW | 2 | M3 |
| 5 | SMALL WASHER | 2 | |
| 6 | SHORT SCREW | 2 | M3 |
| 7 | METAL WASHER | 2 | M3 |
| | PLASTIC-1 WASHER | 2 | ABS |
| | PLASTIC-2 WASHER | 2 | ABS |



| REV. | DESCRIPTION | DRAWN | CHECKED | APPROVED |
|------|-------------|---------------|---------|---------------|
| A | NEW RELEASE | LJH 10/26/05' | ~ | LJC 10/26/05' |
| B | 整理图画 | YCH 09/13/07' | ~ | LJC 09/13/07' |
| C | 整理英制短螺丝尺寸 | YCH 07/18/08' | ~ | LJC 07/18/08' |
| D | 增加“全包装”类型 | YCH 05/20/10' | ~ | |

NOTES:


1. Hardwares are all Nickel plated.
2. PART NUMBER CODE:

DS1045 - 37 X X X X X


- Washer type
- 1: Metal
- 2: Plastic-1(Lock type)
- 3: Plastic-2(Screw type)
- Bolt type
- L: Long
- S: Short
- Packing type
- 1: Mix packing
- 2: Separation packing
- Q: Full packing
- Cover Material
- P: Plastic(ABS)
- Cover Color
- A: Gray
- B: Black
- V: Ivory
- Position
- 37: 37pin




Short BOLT




NUT t=2.3mm




LONG SCREW



SMALL WASHER




SHORT SCREW



Metal

Plastic-1

Plastic-2



Long BOLT

| GENERAL TOLERANCE | | ANGLE TOLERANCE | | PROJECTION | TITLE |
|-------------------|-------|--------------------|-----|--------------|------------------|
| X. | ±0.60 | X. | ±5° | mm | D-SUB 37pin Hood |
| .X | ±0.38 | .X | ±3° | | |
| .XX | ±0.25 | .XX | ±2° | | |
| DRAWING TYPE | | COSTOMER | | SHEET SIZE | SERIES |
| SCALE | | 1:1 | | A4 | DS1045 SERIES |
| DRAWING NO. | | C-DS1045-37XXXXX-D | | SHEET 1 OF 1 | |



晨翔电子有限公司
CONNFLY CONNFLY ELECTRONIC CO. LTD



| REV. | DESCRIPTION | DRAWN | CHECKED | APPROVED |
|------|-------------|---------------|---------|----------|
| A | NEW RELEASE | YCH 05/24/11' | ~ | |
| | | | | |
| | | | | |

NOTES:

1. PART NUMBER CODE:

DS1045 - 50 X X X

- Packing type
- 1: Mix packing
- 2: Separation packing
- Cover Color
- A: Gray
- B: Black
- Cover Material
- P: Plastic(ABS)
- Position
- 50: 50pin



| BOM LIST | | | |
|----------|--------------|------|-------|
| ITEM | PART NAME | Q'ty | NOTES |
| 1 | PLASTIC HOOD | 2 | ABS |
| 2 | BOLT | 2 | #4-40 |
| 3 | NUT | 2 | M3 |
| 4 | M3*10 SCREW | 2 | M3 |
| 5 | M3*12 SCREW | 2 | M3 |
| 6 | BIG WASHER | 2 | M3 |

| | | | | | | | |
|-------------------|-------|-----------------|-----|--|--|------------------|--|
| GENERAL TOLERANCE | | ANGLE TOLERANCE | | PROJECTION | | TITLE | |
| X. | ±0.60 | X. | ±5° | | | D-SUB 50pin HOOD | |
| .X | ±0.38 | .X | ±3° | UNITS | | mm | |
| .XX | ±0.25 | .XX | ±2° | SHEET SIZE | | A4 | |
| DRAWING TYPE | | CUSTOMER | | SERIES | | DS1045 SERIES | |
| SCALE | | 1:1 | | SHEET | | 1 OF 1 | |
| DRAWING NO. | | C-DS1045-50XXX | | 晨翔电子有限公司 CONNFLY CONNFLY ELECTRONIC CO. LTD | | | |
| | | | | | | | |