


# **NT11H** Data Sheet

[□] Preliminary Release[■] Final Release



May. 2014



# Contents

1	Introduction	4
2	General Specification	5
3	Absolute Maximum Ratings	5
4	Reliability-Environmental Test Condition	6
5	Electrical Specification	7
6	System Design	8
7	Block Diagram	9
8	Assembly Notes	10
9	Connection & Operation	11
10	OSD Control Board	12
11	OSD Function	13
12	IR Control	16
13	Controller Dimensions	23
14	Application Notes	24
15	Troubleshooting	25
16	Applicable Graphic Mode	26
17	Accessory	27
18	Appendix	28

# **Revision History**

No	Description	Rev.	Date	Page
1	Preliminary Release	0.1	Mar.2013	



# **1. Introduction**

Designed for LCD monitor and other flat panel display application the controller provides an autoinput synchronization and easy to sue interface controller for:

- TFT (active matrix) LCD panels of 800x600, 1024x768, 1280x768, 1366x768, 1280x1024, 1440x900, 1680x1050, 1600x1200, 1920x1080 and 1920x1200 resolutions.
- Computer Analog/Digital Video signals of VGA, SVGA, XGA, WXGA, SXGA WXGA+, WSXGA+, UXGA, and WUXGA standard.
- All VESA Standard Signal Input Support.

# HOW TO PROCEED

Ensure that you have all parts & they are correct, refer to:

- Connection diagram
- Connector reference
- Assembly notes
- Check controller switch & jumper settings (errors may damage the panel)
- Prepare the PC
- Connect the parts
- Understand the operation & functions

## **IMPORTANT USAGE NOTE**

This equipment is for use by developers and integrators. The manufacturer accepts no liability for damage or injury caused by the use of this product. It is the responsibility of the developer, integrators or other users of this product to:

- Ensure that all necessary and appropriate safety measures are taken.
- Obtain suitable regulatory approvals as may be required.
- Check power settings to all component parts before connection.

### DISCLAIMER

There is no implied or expressed warranty regarding this material.

# 2. General Specification

No.	Item			Description	
	Panel Reso		on	Resolution	
		XGA Panel		1024X768	
		WXGA Pane		1280X768	
	Supported	WXGA Pane		1366X768	
1	Supported Resolution	SXGA Pane		1280X1024	
	Resolution	WSXGA+ Par	nel	1680X1050	
		UXGA Pane	I	1600X1200	
		HD Panel		1920X1080	
		WUXGA Panel		1920X1200	
2	LCD Module	SVGA, XGA, WXGA, SXGA, WSXGA+, UXGA, HD, WUXGA			
3	Signal Input	Analog RGB, TMDS(DVI)			
4	Resolution		H:	31 ~ 80kHz	
4	Support		V	: 55 ~ 76Hz	
5	OSD Control		Menu, S	el, Up, Down, Power	5 keys
5	Plug & Play		VESA	A DDC 2B Ver1.3	
6	Power Connector	Input	Ту	pe: IEC320 MALE 3Line Connector	
7	Power	Supply Voltage 12Vc		12Vdc/SMPS	
/	Consumption	Max Power 2W (W		2W (Without Back Light Inverter, LCD Panel)	
		Analog	DSI	JB 15P(R, G, B Separate H, V Sync)	
8	Signal Connector	Digital		HDMI(without Audio)	TMDS

# **3. Absolute Maximum Ratings**

Parameter	Cumhal	Val	ues	Units	Notos
Parameter	Symbol	Min	Мах	Onits	Notes
Operating Temperature	T <sub>op</sub>	0	50	°C	
Storage Temperature	T <sub>ST</sub>	-20	60	°C	
Operating Ambient Humidity	H <sub>OP</sub>	10	90	%RH	
Storage Humidity	H <sub>ST</sub>	10	90	%RH	

• Note : No condensation of water

# 4. Reliability-Environmental Test Condition

Item	Condition	Method
Vibration (non-operating)	Wave form : random Vibration level : 1.0GRMS Bandwidth : 10 ~ 50Hz Duration : X, Y, Z, 10min.	One time each direction
Shock (non-operating)	Shock level : 100G Waveform : half sine wave, 2ms Direction : $\pm X$ , $\pm Y$ , $\pm Z$	One time each direction

• Note : Tested with Mechanical part like as metal fame or plastic housing.

# **5. Electrical Specification**

# Input characteristic

Description	Signal	Unit	Min	Typical	Max	Remarks
Power In (12)	Power In (12V)					
	Input	Vdc	11.4	12.0	12.6	
RGB Input						
-	Analog RGB	Vp-p	0	0.7	-	
	Sync	Vdc	0	5.0	5.5	
	H Frequency	KHz	31	64	80	Depends on Mode
	V Frequency	Hz	55	60 75		Depends on Mode
	DVI Input					
(HDMI)	TMDS	mVp-p	450	500	900	

# **Output Characteristics**

	Signal	Unit	Min	Typical	Max	Remarks
Panel Power						
	LCD Power (12V)	Vdc	11.4	12	12.6	Jumper option
	LCD Power(5V)	Vdc	4.75	5	5.25	Jumper option
	LCD Power(3.3V)	Vdc	3.13	3.3	3.46	Jumper option
LVDS Interfac	LVDS Interface					
	Differential output	mVp-p	250	350	450	Different +/-
Inverter Inter	face					
	Power out	V	11.4	12	12.6	
	On/Off control	V	0		5	L=off, H=on
	Drightpass	V	3.3		0	Option
	Brightness control	v	0		3.3	Option
	control	Step	0		100	OSD Value

# **Power Consumption**

	Input Power	Unit	Min *1	Typical	Мах	Remarks
Board without Panel and Inverter						
	LCD Power (12V)	Watts	0.62	2.05	-	*0
		А	0.05	0.17		"Z


\* 1 : Power saving mode

\* 2 : Controller board only, disconnected with LCD and Inverter.


• System power consumption should be different value with different type of LCD and Inverter.



# 6. System Design



# 7. Block Diagram



# 8. Assembly Notes

This controller is designed for monitors and custom display projects using TFT LCD panels of 1024x768, 1280x768, 1366x768, 1280x1024, 1680x1050, 1600x1200, 1920x1080 and 1920x1200 resolutions, VGA, SVGA, XGA, WXGA, SXGA, WSXGA+, UXGA, WUXGA, HD and FHD signal input. The following provides some guidelines for installation and preparation of a finished display solution.

**Preparation**: Before proceeding it is important to familiarize yourself with the parts making up the system and the various connectors, mounting holes and general layout of the controller. As much as possible connectors have been labeled. Guides to connectors and mounting holes are shown in the following relevant sections.

- 1. LCD Panel: This controller has LVDS interface logic on the Board for different kind of TFT LCD panel.
- **2. Controller:** Handle the controller with care as static charge may damage electronic components, Make sure correct jumper and switches settings to match the target LCD and PDP panel
- **3. LCD connector board**: Different makers and models of LCD panel require different panel signal connectors and different pin assignments.
- **4. LVDS signal cables:** In order to provide a clean signal it is recommended that LVDS signal cables should not longer than 30cm. If loose wire cabling is utilized these can be a made into a harness with cable ties. Care should be taken when you place the cables to avoid signal interface. Additionally it may necessary in some systems to add ferrite cores to the cables to minimize signal noise.
- **5. Inverter**: This will be required for the backlight of an LCD, some LCD panel have an inverter built in. As LCD panels may have 1 or more backlight tubes and the power requirements for different panel backlights may vary it is important to match the inverter in order to obtain optimum performance. See application notes for more information on connection.

**6. Inverter cable:** Different inverter models require different cables and different pin assignment. Make sure the correct cable pin out to match the inverter. Unsuitable cable pins out may damage the inverter.

- 7. OSD Button: See Operational Function section.
- 8. LED Indicator: This LED shows the state of controller.
  - Green Normal state
  - Red Off mode
  - Amber DPMS mode

9. Power switch: This switch is located on OSD button board.

**10. Power input:** Proper power is required to supply power for the controller, the Inverter and the LCD panel

**11. VGA Input Cable:** As this may affect regulatory emission test result, a suitably shielded cable should be utilized.

# 9. Installation Notes

#### EMI:

Shielding will be required for passing certain regulatory radiation tests. Also the choice of video board and power supply can affect the test result.

#### Consideration should be given to:

- Electrical insulation.
- Grounding.
- EMI shielding.
- Heat & ventilation

#### Caution:

Ensure that the adequate insulation is provided for all areas of the PCB with special attention to high voltage parts such as the inverter.

#### **Remarks:**

For a specific panel use, one panel sample and full technical specifications for the LCD panel from the manufacturer are required to test for tuning up screen image. We can provide engineering service for customer's specific controller development.

# **10. Setup Notes**

Once the circuit has been connected, a setup procedure for optimal is requires a few minutes. The following instructions are likely to form the basis of the finished product operation manual.

### **PC Settings:**

The PC needs to be set to an appropriate graphics mode that has the same resolution with the LCD panel to have clear screen image. And the vertical refresh rate should be set to one of 56~75Hz, non – interlaced signal.

#### **Display System Settings**

The OSD (On Screen Display) provides certain functions to have clear image and others. This board supports 5 buttons OSD operation as a standard. The control functions defined on OSD operation are as below.

### **PC Graphics Output:**

- Signal quality is very important, if there is noise or instability in the PC graphics output this may result in visible noise on the display
- Refer to the graphic modes table in specification section for supported modes.
- Non-interlaced & interlaced video input is acceptable.

Important: please read the application notes section for more information.

# **11. Connection & Operation**

# CAUTION:

Never connect or disconnect parts of the display system when the system is operating as this may cause serious damage.

## **CONNECTION:**

- 1. **LCD panel & Inverter:** Connect the inverter (if it is not built- in the panel) to the CCFT lead connector of the LCD panel.
- 2. **LVDS type panels:** Plug the signal cables direct to J23(or J24) of the controller for 1 or 2 channel interface panel
- 3. **Inverter & Controller:** Plug the inverter cable to J11 of the controller and another end to the connector on the inverter.
- 4. **Function switch & Controller:** Plug the OSD switch mount cable to J15 of the controller and another end to the OSD board.
- 5. **VGA cable & Controller:** Plug the VGA cable to the connector J23 of the controller.
- 6. **DIV-D Cable & Controller:** Plug the DVI-D Cable to the connector J11 of the controller.
- 7. **Power supply to Controller:** Plug the DC 12V/24V power in to the connector J9(or J4) of the controller.
- 8. SMPS & Controller : Plug the SMPS power in to the connector J22(or J26, J27) of the controller
- 9. **Power on:** Switch on the controller and panel by using the OSD switch mount.

### General:


- If you use supplied cables & accessories, ensure that they are correct for the model of the panel and the controller.
- If you make your own cables & connectors, refer carefully to both the panel & inverter specifications and the section in this manual, "Connectors, Pin outs & Jumpers" to ensure the correct pin to pin wiring.

### PC Setting:

The controller has been designed to take a very wide range of input signals however to optimize the PC's graphic performance we recommend choosing 60Hz vertical refresh rate – this will not cause screen flicker.

# 9. Osd Control Board

The OSD (On Screen Display) provides certain functions to have clear image and others. This board supports 5 buttons OSD operation as a standard. The control functions defined on OSD operation are as below. (unit: mm)



Button	Function	Status	Hot Key
LED	Indicates operation status	Green : Normal State Red : Off Mode Amber : DPMS Mode	
Power	Power On/Off		
Menu	On/Off OSD Menu Exit Sub OSD Menu		
Select	Select function		No OSD Window, Input Source Change
Down	Move to Down or left Menu bar		No OSD Window, Auto Color
Up	Move to Up or Right Menu bar		No OSD Window, Auto Configuration

# **10. Osd Function**

The chosen OSD settings will be stored in memory. The OSD menu can be cleared from the screen by pressing the **MENU** button otherwise it will be automatically cleared after a few second of non-use.

MAIN MENU	SUB MENU	CONTROL		
	Brightness	50(0~100)		
	Contrast	50(0~100)		
	Sharpness	2( 0 ~ 4)		
Picture	H Position	50(0~100)		
	V Position	50(0~100)	PC	
	Clock	50(0~100)	ONLY	
	Phase	30(0~100)		
	Color Status Management	User(User, Warm, Normal, Cool)		
Color	Red	50(0~100)		
	Green	50(0~100)		
	Blue	50(0~100)		
	Auto Color	To Start		
	Language	English(English, Deutsh, Francais, Italiano,		
	Language	Espanol, Korean)		
	H Position	50(0~100)		
OSD	V Position	50(0~100)		
	Transparency	33 (0~100)		
	OSD Time	10(3~30)		
	Source	RGB, DVI, AUTO		
SETUP	Factory reset	To Start		
JLIUF	Aspect	Off(On/Off)		
	Set ID(option)	Off(On/Off)		

### **OSD GUI Control Table**

# **11. Connector & Pinout , Jumpers**

### Summary

Reference	Item	Description	Туре	Manufacture
J6	Connector	External 12V Power Input	SMAW200-04	YEONHO
J22	Connector	Backlight Inverter Connector	SMAW200-08	YEONHO
J9	Jack	12V Input Dc power Jack	KPJ-4S-S	-
J8	Connector	HDMI Input(TMDS) Connector	HDMI Type A	-
J23	Connector	Analog RGB Input Connector	15P D-SUB	-
J14	Connector	LCD Interface connector(2Ch LVDS)	12507WR-30	YEONHO
J15	Connector	OSD Board Connector	SMAW200-07	YEONHO



#### J6(J7): 12V Power Input

JO(J/) . 121 101						
Pin No.	Symbol	Description				
1	Vcc	+12V				
2	Vcc	+12V				
3	GND	Ground				
4	GND	Ground				



#### J22(J1) : Backlight Inverter connector


Pin No.	Symbol	Description
1	DIM-ADJ	DIM-adjustment analog dimming control signal * make sure inverter specification
2	ON/OFF	Inverter digital ON(3.3V)/OFF(0V) signal
3,4,5,	GND	Ground
6,7,8	B+	B+(24V or 12V)



### J15(J16) : OSD Board connector

Pin No.	Symbol	Description				
1	Vcc	+5V power for IR sensor				
2	IRQ	Infrared rays signal line.				
3	LED1	Green LED				
4	LED2	Red LED				
5	GND	Ground				
6	ADC-IN0	Menu, Up				
7	ADC-IN1	Power, Down, Up				

Θ



#### J9: 12V Power Input Jack

Pin No.	Symbol	Description
-	GND	Ground
+	Vcc	12V



Ð

### J8 : HDMI Input Connector

	Video Signal	1) Signal type	TMDS data		
		2) Gain level	3.3V±0.7V		
Digital		3) Pixel frequency	max. 210MHz		
		4) Resolution max. 1920 X 1200 /60Hz			
	Signal Connectors	А Туре			

Pin No.	Symbol	Description				
1	TMDS DATA2+	TMDS DATA2 Differential Positive Signal				
2	TMDS DATA2 Shield	Shield for TMDS Channel #2				
3	TMDS DATA2-	TMDS DATA2 Differential Negative Signal				
4	TMDS DATA1+	TMDS DATA1 Differential Positive Signal				
5	TMDS DATA1 Shield	Shield for TMDS Channel #1				
6	TMDS DATA1-	TMDS DATA1 Differential Negative Signal				
7	TMDS DATA0+	TMDS DATA0 Differential Positive Signal				
8	TMDS DATA0 Shield	Shield for TMDS Channel #0				
9	TMDS DATA0-	TMDS DATA0 Differential Negative Signal				
10	TMDS CLOCK+	TMDS DATA0 Differential Positive Signal				
11	TMDS CLOCK Shield	Shield for TMDS Clock differential Pair				
12	TMDS CLOCK-	TMDS DATA0 Differential Negative Signal				
13	CEC	Consumer Electronics Control Line				
14	NC	No Connection (Reserved)				
15	SCL	The Data Line for the DDC Interface				
16	SDA	The Clock Line for the DDC Interface				
17	GND	Ground (CEC/DDC)				
18	+5V Power	+5 Volt signal for EDID (Un-powered Monitor)				
19	HPD	Identify the presence of a monitor				


J23 : Analog RGE	3 Input Connector					
Pin No.	Symbol	Description				
1	Red1	Red analog input				
2	Green1	Green analog input				
3	Blue1	Blue analog input				
4	GND	Ground				
5	GND	Ground				
6	GND	Ground				
7	GND	Ground				
8	GND	Ground				
9	NC	Not connected				
10	GND	Ground				
11	GND	Ground				
12	DSDA	DDC-SDA				
13	HSYNC	Horizontal Sync				
14	VSYNC	Vertical Sync				
15	DSCL	Serial Clock Input				

### J14 : LCD Interface connector(8bit 2Ch LVDS)

Pin No.	Symbol	Description			
1	MOD_PWR	Panel Power (12V, 5V or 3.3V)			
2	MOD_PWR	Panel Power (12V, 5V or 3.3V)			
3	Option	High/Low for LCD Option			
4	MOD_PWR	Panel Power (12V, 5V or 3.3V)			
5,6	N,C				
7,8	GND	Ground			
9	Y3N-ODD	Negative (-) LVDS differential second 3 data			
10	Y3P-ODD	Positive (+) LVDS differential second 3 data			
11	YCN-ODD	Negative (-) LVDS differential second Clock			
12	YCP-ODD	Positive (+) LVDS differential second Clock			
13	Y2N-ODD	Negative (-) LVDS differential second 2 data			
14	Y2P-ODD	Positive (+) LVDS differential second 2 data			
15	Y1N-ODD	Negative (-) LVDS differential second 1 data			
16	Y1P-ODD	Positive (+) LVDS differential second 1 data			
17	Y0N-ODD	Negative (-) LVDS differential second 0 data			
18	Y0P-ODD	Positive (+) LVDS differential second 0 data			
19	GND	Ground			
20	GND	Ground			
21	Y3N- EVEN	Negative (-) LVDS differential first 3 data			
22	Y3P-EVEN	Positive (+) LVDS differential first 3 data			
23	YCN- EVEN	Negative (-) LVDS differential first Clock			
24	YCP- EVEN	Positive (+) LVDS differential first Clock			
25	Y2N- EVEN	Negative (-) LVDS differential first 2 data			
26	Y2P- EVEN	Positive (+) LVDS differential first 2 data			
27	Y1N- EVEN	Negative (-) LVDS differential first 1 data			
28	Y1P- EVEN	Positive (+) LVDS differential first 1 data			
29	YON- EVEN	Negative (-) LVDS differential first 0 data			
30	YOP- EVEN	Positive (+) LVDS differential first 0 data			




### Panel Power Selection




J404 12V




J403 3.3V







# **12. Controller Dimensions**



# **13. Application Notes**

### USING THE CONTROLLER WITHOUT BOTTONS ATTACHED

#### This is very straightforward:

- Firstly setup the controller/display system with the buttons. With the attached controllers and display system active make any settings for color, contrast and image position as required then switch everything off.
- Remove the control switches, the 7-wired cable.
- Refer to inverter specifications for details as to fixing brightness to a desired level, this may require a resistor, an open circuit or closed circuit depending on inverter

### INVERTER CONNECTION

There are 3 potential issues to consider with inverter connection:

- Power
- ON/OFF
- Brightness (DIM-ADJ)

**Inverter power:** This should be matched with the inverter specification.

**Inverter ON/OFF:** This is a pin provided on some inverter for ON/OFF function and is used by this panel controller for VESA DPMS compliance. If the inverter does not have on/off pin or the on/off pin is not used DPMS will not operate. Pin 5 should be matched to the inverter specification for the ON/OFF pin.

**Brightness Dimming control:** The controller boards are analog dimming control method. And it is important to consider the specifications for the inverter to be used.

# 14. Troubleshooting

### General

A general guide to troubleshooting of a flat panel display system it worth considering the system as separate elements, such as:

- Controller (jumpers, PC settings)
- Panel (controller, cabling, connection, panel, PC settings)
- Backlight (inverter, cabling, connection, panel, Pc settings)
- Cabling
- Computer system (display settings, operating system)

Through checking the system step by step cross with instruction manuals and a process of elimination to isolate the problem it is usually possible to clearly identify the problem area.

### No image:

- If the panel backlight is not working it may still be possible to see just some image.
- A lack of image is most likely to be caused by incorrect connection, lack of power, failure to provide a signal or incorrect graphic card settings.

### Image position:

If it is impossible to position the image correctly, the image adjustment controls will not move the image far enough, then test using another graphics card. This situation can occur when a graphic card is not close to standard timing or when something is in the graphics line that may affect the signal such as a signal splitter (please note that normally a signal splitter will not have any adverse effect).

### Image appearance:

- A faulty panel can have blank lines, failed sections, flickering or flashing display.
- Incorrect graphic card refresh rate, resolution or interlaced mode will probably cause the image to be the wrong size, to scroll to, flicker badly or possibly even no image.
- Incorrect jumper settings on the controller may cause everything from incorrect image viewing to total failure.

CAUTION: Do not set the panel power input incorrectly.

• Sparkling on the display: faulty panel signal cable.

### Backlight:

Items to check include: Power input, controls, inverter and Tubes generally in this order. If half the screen is dimmer than the other half:


• Check cabling for the inverter.

# 15. Applicable Graphic mode

The microprocessor measures the, H - sync V - sync and polarity for RGB Inputs, and uses this timing information to control all of the display operation to get the proper image on a screen. This board can detect all VESA standard Graphic modes shown on the table below and Provide mare clear and stable image on a screen

### **RGB input format**

Spec	Pixel		Horizontal Timing			Vertical Timing			
	Freq.	Sync Polar	Freq.	Total	Active	SP	Freq.	Total	Active
Mode	MHz		KHz	Pixel	Pixel		Hz	Line	Lind
640*350@70Hz	25.144	Р	31.430	800	640	Ν	70.000	449	350
640*400@70Hz	28.287	Ν	31.430	800	640	Ρ	70.000	449	400
720*400@ 70Hz	28.287	Ν	31.430	900	720	Р	70.000	449	400
640*480@60Hz	28.175	Ν	31.469	800	640	Ν	59.940	525	480
640*480@72Hz	31.500	Ν	37.861	832	640	Ν	72.809	520	480
640*480@75Hz	31.500	Ν	37.500	840	640	Ν	75.000	500	480
800*600@56 Hz	36.000	Р	35.156	1024	800	Р	56.250	625	600
800*600@60Hz	40.000	Р	37.879	1056	800	Р	60.317	628	600
800*600@72Hz	50.000	Р	48.077	1040	800	Р	72.188	666	600
800*600@75Hz	49.500	Р	46.875	1056	800	Р	75.000	625	600
1024*768@60Hz	65.000	Ν	48.363	1344	1024	Ν	60.005	806	768
1024*768@ 70Hz	75.000	Ν	56.476	1328	1024	Р	70.070	806	768
1024*768@75Hz	78.750	Р	60.023	1312	1024	Р	75.030	800	768
1280*720@60Hz	74.500	Р	44.772	1664	1280	Р	59.855	748	720
1280*768@60Hz	68.250	Р	47.396	1440	1280	Ν	59.995	790	768
1360*768@60Hz	84.75	Р	47.72	1776	1360	Р	59.799	798	768
1280*1024@60Hz	108.000	Р	63.981	1688	1280	Р	60.020	1066	1024
1280*1024@75Hz	135.000	Р	79.976	1688	1280	Р	75.035	1066	1024
1440*1050@60Hz	101.000	Р	64.744	1560	1400	Ν	59.948	1080	1050
1680*1050@60Hz	119.125	Р	64.742	1840	1680	Ν	59.946	1080	1050
1600*1200@60Hz	162,000	Р	75,000	2160	1600	Р	60.00	1250	1200
1920*1080@60Hz	138.625	Р	66.647	2080	1920	Ν	59.988	1111	1080
1920*1200@60Hz	154.125	Р	74.099	2080	1920	Ν	59.999	1235	1200



ICS Components Co., Ltd. Young-dong Techno Tower 310, 300-4 Sungsu-dong 2-ga, Sungdong-gu, Seoul, R.o.Korea TEL +82 (0)2-701-4144~6 | FAX +82 (0)2-701-4147 www.icsco.kr